

# Fact Sheet

## Retail Self-Service Solution: Fujitsu U-Scan Mini-Express™ Vertical (V)

Modular, flexible and compact

### Benefits

#### Self-Service solution

When self-checkout transactions require speed, convenience and flexible configuration in a compact size, look no further than the Fujitsu U-Scan Mini-Express V. When the customer is finished scanning, payment is completed using an EFT device and a receipt is issued.

#### Convenience services

There are significant space improvements over traditional cash handling self-checkouts. It is also very user-friendly, providing simple transactions flows with easy-to-follow on-screen buttons that guide a customer through a transaction.

Mini-Express can also be used as an express lane providing a faster service option for customers paying with plastic. Other methods of payment like Google, Apple and other contactless services can be supported.

The Mini-Express V can be configured with a front or side bagging option and should be used when weight scales are not required.

#### Business benefits

The Mini-Express V delivers a number of key business benefits: an enhanced customer experience, a reduction in queues, more available time for value-added activities, and increased revenue as customer retention levels rise.

With the new smaller size, more Mini-Express units can fit in a single store, contributing to greater throughput. For instance, two Mini-Express units can fit in the space of one traditional cash handling self-checkout unit at a fraction of the cost. Or four Mini-Express units can occupy the room of one traditional POS lane. Retailers now have more flexibility in the front end for merchandising and promotions.

The cost savings on the Mini-Express are dramatically increased when compared to earlier models. Not only is the unit itself less expensive, but the maintenance costs are much lower as well. The unit does not handle cash, so reliability is higher and maintenance costs are lower. Additionally, the Mini-Express shares many of the same parts as the U-Scan Genesis self-checkout, driving cost down even further.



### Introduction

Setting a new standard in compact self-checkout units, the new Mini-Express V is 40% smaller than the competition's cash handling self-checkout units; the Mini-Express' state-of-the-art design allows retailers to fit nearly twice as many units in a desired space

# U-Scan Mini-Express™ V Overview

## Challenges

Space at the front of stores, especially convenience stores or smaller format hypermarket, is at a premium. Retailers are asking, "How can we increase our customer experience; how do we get more people through our POS lanes faster, and still provide the same level of service?" Self-Checkout has established itself as the premier checkout of the future, as the size of a typical Self-Checkout unit is only half that of a regular checkout lane leaving a smaller footprint in a store's premium space.


## How we can help

### Introducing the U-Scan Mini-Express

40% smaller than its predecessor, the Mini-Express optimizes your front-end options. Designed for credit and debit transactions only, the Mini-Express has far less equipment failures and interventions than devices that handle cash. The small and compact design allows retailers to place nearly double the number of standard cash handling units in a desired space. Retailers are installing these in their stores across the globe as express lanes and well-merchandised checkout options, improving the customer experience, driving more customer traffic through self-checkout, and reducing costs.



Customizable height: 50mm riser for European countries



# U-Scan Mini-Express™ V Specifications

ENVIRONMENT	
Operating Temperature	32°F to 104°F (0°C to 40°C) 15° C/Hr (Non-Condensing)
Non-operating Temperature	23°F to 122°F (-5°C to 50°C)
Operating Relative Humidity	10 to 90% non- condensing
Non-operating Relative Humidity	8 to 95% non- condensing
POWER	
Voltage	100-240 V AC
Frequency	50/60 Hz
Power dissipation	AIO PC: 90W: Whole System: up to 414 W
CPU	
Type	Intel 4th Generation Haswell Celeron G1820TE, Core I3-4330TE, Core I5-4570TE
Memory	4GB Standard memory; expandable to 8GB
Storage	128GB Solid State Drive/500GB HDD
Ethernet	10/100/1000 LAN
Inputs/Outputs	3x 12 V P-USB 1x 24 V P-USB On-board Video (VGA) 2x USB 2.0 Ports
DISPLAY	
	15" Color Touch Screen Projected Capacitive Multi-Touch (10 point touch) 1024 x 768 Resolution
SCANNER	
	High performance 1D and 2D bar code reader
OPERATING SYSTEM	
	Windows Embedded POSReady 7, 8, and Windows 10 (Linux option available)
WEIGHT	
	AIO PC: 18 lbs. (8.2kg) Mini-Express Vertical Main Module: ~130 lbs. (59kg) With UBS1 Bag Scale: ~237 lbs. (107.5kg); Bag scale 107 lbs. (48.5kg)
OPTIONAL	
	Assist Shelf: Side Shelf, left or right mount (optional) EFT: Atos, Ingenico, Verifone (optional) Printer: High Speed Thermal Printer (optional) Uninterrupted Power Supply: UPS 120VAC, 200W (optional) Lane Light: LED Signal Tower (optional) Bagging module: Front bag scale or 1/2/4 bagging modules, left or right mount, bag racks, bag risers (optional)

Fujitsu Frontech North America reserves the right to change specifications without notice

**Contact**

FUJITSU  
Fujitsu Frontech North America Inc.  
Address: 27121 Towne Centre Drive, Suite 100 Foothill Ranch, CA  
Phone: 877-766-7545  
Website: <http://www.fujitsu.com/us/oem/financial/atm>  
U-Scan-Mini-Express-V\_DS\_110118



©2018 Copyright Fujitsu Frontech North America Inc. All rights reserved. Fujitsu and the Fujitsu logo are registered trademarks. All other trademarks are the property of their respective owners. Statements herein are based on normal operating conditions and are not intended to create any implied warranty of merchantability or fitness for a particular purpose. Fujitsu Frontech North America Inc. reserves the right to modify, at any time without notice, these statements, our services, products, and their warranty and performance specifications.