

Data Sheet

FUJITSU Retail Solution: ConveniCash™ Intelligent Cash Handling, Multi-Denomination Payment Station

Install Front of Store, Under the Counter or Back Office Currency Handling for Customers and Store Associates Utilizes Best-of-Breed Currency Recycling, Thermal Printer, Touchscreen, PC and Business Hours enclosure

Enhanced Functional Features

- Reliable Fujitsu GSR50 bill recycler includes counterfeit and fitness detection/sorting
- Lower profile with all the functionality of more expensive larger units
- On-board optional CPU, printer and touchscreen packaged in attractive business hours enclosure
- Leverages common Fujitsu components used in other solutions
- Fujitsu Control Library SDK middleware

Benefits

- Rapid ROI, lower cost of ownership and more efficiency managing cash-in-transit program
- Fits under standard counter providing more installation flexibility and lower installation costs
- Provides a market-ready solution for integrators and ISVs allowing them to get to market faster
- Common components ensure lower source pricing that is passed on to customers.
- SDK makes integration of partner application software easier and faster lowering development costs and reduces time to market



Fujitsu ConveniCash™ Overview

ConveniCash

The amount of effort necessary to get payment and currency handling solutions to market can be daunting for some integrators and ISVs. Bending metal and mechanical engineering is not their specialty. It is costly, it takes time and diverts precious resources away from what they do best: software applications and services.

Now, with the introduction of ConveniCash from Fujitsu, integrators and ISVs don't have to worry about designing enclosures any more. Fujitsu has over 40 years of hardware engineering, component integration and ergonomic design experience to draw on resulting in extremely efficient man-machine interfaces for devices like ATMs, POS and train and subway payment systems around the world.

Fujitsu has raised the bar by moving their business partners further up the value chain with ConveniCash. At its core, it includes the most flexible and reliable small-format bill recycling unit in the market today, the Fujitsu GSR50.

In the ConveniCash enclosure, the GSR50 can be ordered in up to nine (9) different configurations depending on your cash in and cash out

requirements and can be upgraded in the field when your requirements change over time.

In addition to the GSR50, ConveniCash includes standard features like an attractive two-tone steeled cabinet in neutral colors, business hours enclosure and a programmable electronic lock.

Along with the standard features, ConveniCash can be ordered with options like an embedded CPU for intelligence, a 7" touchscreen LCD display for store associate or customer interaction and an integrated thermal printer for receipts or paper audit trail.

To speed your solution to market and reduce development costs, Fujitsu offers the Software Control Libraries suite of SDK middleware to support more rapid integration of your application software.

To protect your investment, all currency handling components including the ConveniCash cabinet, business hours enclosure, CPU, touchscreen and printer are all life-cycle managed by Fujitsu's legendary commitment to support and reliability.



Fujitsu ConveniCash™ Specifications

Dimensions (W x D x H)	425.45mm x 649.99mm x 781.05mm
Weight (without bills)	Approx. 106kg approx.
Bill Recycler (GSR50)	Configurations available: 1D; 2D 1R +1D; 1R +2D 1R +1L +1D R=Recycling cassette 2R +1L +1D L>Loading cassette 3R +1L +1D D=Deposit cassette 1R +1L +1D +1E E=Exception cassette 2R +1L +1D +1E
Recycle Cassette Capacity	120 Bills per cassette (Approx.)*
Loading Cassette Capacity	500 Bills per cassette (Approx.)*
Deposit Cassette	1,500 Bills per cassette (Approx.)*
Exception Cassette	20 Bills per cassette (Approx.)*
Acceptable Media Range	Maximum (mm) - 85mm x 182mm Minimum (mm) - 62mm x 120mm
Receipt Printer (Optional)	Printing Technology: Thermal Print Speed: 150mm/s Paper Roll Width: 60mm (2.36")
Display (Optional)	Size: 7" TFT; Touch Tech: PCAP; Brightness: 850nit
Processor (Optional)	Technology: NUC 7th Generation Intel Celeron CPU
Electronic Lock (Standard)	6-Digit code safe lock; Rugged stainless steel OLED Screen for easy viewing, user interaction and keypad programming for code changes, additions, and deletions
Electrical Requirements	DC +24V +/- 10% MAX 12.7A
Temperature Operation	5°C to 45°C Stop State: -10°C to 50°C



Fujitsu Frontech North America reserves the right to change specifications without notice

*Actual number of notes depends on fitness of currency, new versus used

Contact

FUJITSU
Fujitsu Frontech North America Inc.
Address: 27121 Towne Centre Drive, Suite 100 Foothill Ranch, CA 92610
Phone: 877-766-7545
Email: CHPS.FFNA@us.fujitsu.com
Website: <https://www.fujitsufrontechna.com/>



©2019 Copyright Fujitsu Frontech North America Inc. All rights reserved. Fujitsu and the Fujitsu logo are registered trademarks. All other trademarks are the property of their respective owners. Statements herein are based on normal operating conditions and are not intended to create any implied warranty of merchantability or fitness for a particular purpose. Fujitsu Frontech North America Inc. reserves the right to modify, at any time without notice, these statements, our services, products, and their warranty and performance specifications.